

IN THE DRAWINGS:

The attached sheets of drawings include changes to FIGS. 10, 16, 17-24, 25 and 26. These sheets, which include FIGS. 9-11, 15-16, 17-24, and 25-26, replace the original sheets including FIGS. 10, 16, 17-24, 25 and 26.

Specifically, FIG. 10 has been revised to change the reference numeral "14A" to --15A-- to eliminate redundancy with previously used reference numerals; FIG. 16 has been revised to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 17 has been revised to change the reference numeral "14" to --70--; FIG. 18 has been revised to change the reference numeral "14" to --70--; FIG. 19 has been revised to change the reference numeral "14" to --70-- and to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 20 has been revised to change the reference numeral "14" to --70-- and to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 21 has been revised to change the reference numeral "14" to --70-- and to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 22 has been revised to change the reference numeral "14" to --70-- and to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 23 has been revised to change the reference numeral "14" to --70-- and to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 24 has been revised to change the reference numeral "14" to --70-- and to add the reference numeral --50-- with a corresponding lead line arrow; FIG. 25 has been revised to add the reference numeral --50-- with a corresponding lead line arrow; and FIG. 26 has been revised to add the reference numeral --50-- with a corresponding lead line arrow. No new matter has been added.

REMARKS

This amendment corrects errors in the text and drawings. Entry is respectfully solicited.

This amendment is submitted prior to or concurrently with the payment of the issue fee and, therefore, no petition or fee is required. No new matter has been added.

Respectfully submitted,





James R. Duzan  
Registration No. 28,393  
Attorney for Applicant(s)  
TRASKBRITT  
P.O. Box 2550  
Salt Lake City, Utah 84110-2550  
Telephone: 801-532-1922

Date: September 16, 2004  
JRD/csw

Enclosures: Replacement Sheets  
Annotated Sheets Showing Changes

\\Traskbritt1\Shared\DOCS\2269-4587US\81321.doc






FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23






FIG. 24






**FIG. 9**  
**(PRIOR ART)**



**FIG. 10**  
**(PRIOR ART)**



**FIG. 11**  
**(PRIOR ART)**